SYNTHIAM

synthiam.com

Pandorabot tutorial

This tutorial will cover the different uses with a Pandorabot chatbot and EZ-Builder. Pandorabots is a great option for having dynamic speech synthesis conversations with your robot, and you can tie in it's responses with Cheat Sheet commands to control sensors, media files, servos ect, all from the EZ-Builder Pandorabot control.

You can customize the Pandorabot with different and new responses, and there is quite a bit of documentation online describing how to use certain functions, such as using the tag for variable response for different user names, and using tags to keep conversations on topic, some of which will be covered in this tutorial.

Last Updated: 10/16/2015

S Step 1. Explaining the EZ-Robot Pandorabot Control.

Below is an explanation of the Pandorabot control option.

Pause:

A second s	EZ-Builder	
File Project Options Controls Windo	w Help	
🗜 🌲 🎦 🛞	🗏 🗊 歳 庙 🗭 🗫	%
Add View Instructions Design	Details Library Bit Builder 3D Scan Load Configure	Advanced
Controls 🕞 My EZ-Robot	🕼 EZ-Bits 🕞 Servo Profile	G
Connection 🛛 🕅 🖾		
0 Connect 192.168.1.1:23 (***) (****)		
1 Connect 192.168.1.1:23		
2 Connect 192.168.1.1:23 (;) ()		
3 Connect 192.168.1.1:23 (***)	PandoraBot	
4 Connect 192.168.1.1:23 (***)	Pause 🔘 www.pandora	oots.com
ez	Send	bot
		📖 🔺 🖬 🖬 🗣 🔐 🗤

When ticked, this pauses the voice recognition, and stops the control from hearing you.

Configuration Menu Tab:

EZ-Builder	- 0 💌
File Project Options Controls Window Help	
[🖡 🛕 🚰 🍇 📃 🇊 🍇 📩 间 🗞 🔅	
Add View Instructions Design Details Library Bit Builder 3D Scan Load Configure Advanced	
Controls rs My EZ-Robot rs EZ-Bits rs Servo Profile rs	
Connection	
0 Connect 192.168.1.1.23 (***) (****)	
1 Connect 192.168.1.1:23 (*)	
2 Connect 192.168.1.1.23 (***)	
3 Connect 192.168.1.1.23 (***)	
4 Connect 192.168.1.1.23 (1) (2)	
ez. bo	DT
Send	
	00.16
	● U9:10 ● U9:10 ● U9:10

Opens the control configuration menu.

Speech Recognition Visualizer:



Allows you to see a visual representation of your speech volume levels. The volume input wave line is red when control is paused, and green when unpaused.

Text Input Field:



Talk to your Pandorabot using your keyboard.

Debug Window:



A text display window that shows speech recognition results, the bots response, confidence levels, and possible control errors.

Below is an explanation of the Pandorabot configuration menu.

Pandorabot Bot ID:

2	EZ-Builder	- 0 - 4
File Project Options Controls Window Help		
Add Controls T ₆ We My EZ-Robot	Image: Second	6
Connection 22		
0 Connect [192.168.1.1:23 (***) >>		
1 Connect 192.168.1.1:23 (***)		
2 Connect 192.168.1.1:23	Settings 🛛 🔀	
3 Connect 192.168.1.1:23 (***)		
4 Connect 192.168.1.1:23 (***)	Vandora bict id: ea 15c8/2ae6/345ded m Usemame: steve_000 m	
ez	Response Variable: SpandorsResponse () Response Script: Pesponse Script: Pesponses Confidence: 0.60 Show Unconfident Recognition Use EZ-8 v4 Speaker	bot
	Save Cancel	
		09:26 📟 🔺 📲 🛍 📲 🌵 04/10/2015

Input field to add your Pandorabots unique Bot ID.

<u>Username:</u>



Your computers User Name.

Response variable:

2	EZ-Builder	- • ×
File Project Options Controls Window	w Help	
Add View Instructions Design My E2-Robot	Image: Details Image: Detail	
Connection 22		
0 Connect 192.168.1.1:23 😲 🎯 🥥		
1 Connect 192.168.1.1:23 (***)		
2 Connect 192.168.1.1:23	Settings X	
3 Connect 192.168.1.1:23 (9)		
4 Connect [192.168.1.1:23 (***)	Pandora Bot Id: ea 15c82see345ded m Usemame: steve_000 m	
ez	Response Variable: Spandora Response Response Script: Image: Confidence: Image: Show Unconfident Recognition Use EZ-8 v4 Speaker Save Cancel	bot
		09:26

The Pandorabots response variable that can be used in a script.

Response Script:



Insert a script that will run when the Pandorabot responds.

Speak Response:

2	EZ-Builder	- 0 ×
File Project Options Controls Window	Help	
Add Controls Ts	Image: Serve Profile Image: Se	3
Connection ? 🖾		
0 Connect 192.168.1.1:23 😭 💿		
1 Connect 192.168.1.1:23 (***)		
2 Connect 192.168.1.1:23 (2) (2)	Settings	
3 Connect 192.168.1.1:23		
4 Connect 192.168.1.1:23 (***)	Usemame: steve_000	
ez	Response Variable: SpandorsResponse Response Script:	bot
		mm as <u></u>
		т т ни Ф ок/10/2015

When ticked, the Pandorabots response will be heard using speech synthesis.

Confidence:



A drop down menu that contains different values for adjusting the ability of the computer to better understand what is being said by the user.

Show Unconfident Recognition:

EZ-Builder	- D ×
File Project Options Controls Window Help	
Add Image: Controls Image: Cont	
0 Connect 192.168.1.123 (*) (2) (2)	
1 Connect 192.168.1.1.23 🔮	
2 Connect 192.168.1.1:23 (1) (2) (2) Settings	
3 Connect 192.168.1.1.23 (1) (2)	
4 Connect 152.168.1.1:23 (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	
Response Variable: Spandors Response © Response Script: Speak Responses Confidence: 0.60 ~ Show Unconfident Recognition Use Ez/5 V4 Speaker	>t
Save Cancel	
	09:26

When ticked, any unconfident speech recognition phrases spoken by a user, will be displayed in the debug window.

Use EZ-B Speaker



When unticked, the Pandorabots verbal response will be heard through the computers speakers. When ticked, the response will be heard through the EZ-B v4's speaker.

Save and Cancel:

EZ-Builder	- P ×
File Project Options Controls Window Help	
🕞 🌲 🚰 🚓 🗏 🔳 🚓 📩 🔎 🐎	
Add View Instructions Design Details Library Bit Builder 3D Scan Load Configure Advanced	
Controls rs My EZ-Robot rs EZ-Bits rs Servo Profile rs	
Connection	
0 Connect 192.168.1.1.23 🖤 💿 💿	
1 Connect 192.168.1.1.23 🚱 😥	
2 Connect 192.168.1.1.23 🚱 🔊	
3 Connect 192.168.1.1.23 (*) (*)	
4 Connect 192.168.1.1.23 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	
Response Variable: Spandora Response © Response Script: Speak Responses Corfidence: 0.65 Save Cancel	St
	• 🚛 🗊 all 🕩 04/10/2015

"Save" will save any recent setting changes made, and "Cancel" will cancel any recent changes made. Both options will close the configuration menu.

To get started, you will need to create your very own Pandorabot using their website. You can choose one which already has content so you can start a conversation straight away, or you can choose one with no content so you can build your bot from the ground up. Setting up your own Pandorabot is free to do (at the time this tutorial was written), and this step will explain how to do just that.

If you use the link below, you can sign up to a Pandorabot account and start creating a new bot.

Pandorabot sign up

1.) After clicking on the link above, on the sign up home page, click on "Account Sign Up".



2.) Enter the relevant information in to the text input fields, then Click on "**Submit Account Request**".

Mobile Interface Builder	🗙 🧕 Forum - Community - EZ 🗙 🖉 Create Pandorabots Accoun	n × (+							- 0	
e gandorabots.com/botma	ster/en/~138211f357a2e6fcb3d7da6b~/new-account	©1 ∀ C'	Q robotshop	⇒	☆	Ê		+ 1	9	≡
🗿 Most Visited 🧕 EZ-Robot 🏊	Betfair 🛄 Pandorabots 🛄 B/F radio 🧕 MPU9150 Acceleromet G Gr	mail 🧹 Super Hub 2 GUI								
Email: steve.gbbsSgvrgi Password: Login Lost password2 Parge	Image: Support About Most Popular Account Sign-up Support About Most Popular First Name: steve Last Name: G Last Name: G Support About Most Popular Choose a password: steve.glabsS@gmail.com Choose a password: steve.glabsS@gmail.com Choose a password: steve.glabsS@gmail.com Submit Account Request Submit Account Request Submit Account Request Once you register with pandorabots.com and sign in to requests and enhancements; notification of site update	2,031,417,612 pandorabot respons Help Policies [Last Updated nat will ensure that the name will be u r password. o our services, your information will be e and functionality additions.	ses served! 9.26.2015] Inique. Be sure to enter your firs e used for general internal purpo	t and	d las	t name	e corr	ectly, a	n; ser	// III
	Pandorabots.com will not share your personal informat you provide during account registration. Pandorabots.c	tion with external clients or agencies. com reserves the right to make chang	Notification of changes to this po ges to this policy at any time.	olicy	will t	e sen	t to t	he ema	iil addi	ress
	Policies - Pandorabots Documentatio Al Foundation Forum Chatbots.org	on - Pandorabots FAQ - Pandorabots Forum - A Al Nexus Forum - Chatterbot Collection - Vir	About Pandorabots - tual Humans Forum							_
📲 🚞 🤌	N 😰 🗖 🧿 🖪 🧭					•	ii †0	at (0 04/1	9:39 n/2015

3.) You will now see a message saying that no Pandorabots have been defined yet. Click on the "**Create**" link in this message to create your new bot.

Mobile Interface Builder X Service - Community - EZ X Pandora Botmaster X	+					-	
O pandorabots.com/botmaster/en/mybots	∀ C ⁴ Q robotshop	⇒	Ê		÷	â	⊜ ≡
🗿 Most Visited 🧕 EZ-Robot 🔽 Betfair 🛄 Pandorabots 🛄 B/F radio 🧕 MPU9150 Acceleromet G Gmail 🎸 Su	per Hub 2 GUI						
English Help Policies [Last Updated	2,031,418,516 pandorabot responses served! 9.26.2015] - Logout steve.gibbs5@gmail.com						
My Pandorabots Profile Create a Pandorabot Pandorawriter Support About Most Popular							
My Pandorabots							
There are no Pandorabots defined yet You must first create a new pandorabot.							
Poinsies - PanSorabols Documentation - Pand Videos: AMLInstructor Channel - Bo Al Foundation Channel - Bo The ALLIC.E. Al Foundation, - AIML - Wikinedi - Q	szabats FAQ - Pandorabats Forum - About Pandorabots - Ok: Be Your Own Botmaster - Pandorabots Apoe Forum - Chatterhot Collection - Virtual Humans Forum - Official AIML_1.0.1 standard - AIML_2.0 Working Draft - ddcast SitePal						
📲 🚞 🧀 N 😺 🗖 🗿 🖳 🙆 🛷 💻] •	:: †0	i) .atl	ф _в	09:40 4/10/2015

4.) Choose what content you want your new bot to start off with the categories are...

Standard AIML - Sept 2001 Dr Wallace's A.L.I.C.E - March 2002 Annotated A.L.I.C.E. AIML -September 2003 Christian Drossmann's standalone German AIML - January 2002 Sandro Pons' Italian AIML set - April 2001

and No initial content, the Pandorabot starts with no knowledge.



In this tutorial, we will use a bot with "No Initial Content".

Easy way to train your bot.

1.) To give your new bot the ability to hold a conversation, the more are a couple of options you can use. One of the ways is to use the "Train" interface. This is the easiest way to add or edit knowledge to your bot. To start, click on the "**Train**" tab.



2.) The text input field where it says "Human" is where you write what you want to say to the bot. Click on the field and write Hello", then press "Enter on your keyboard, or click on "**Ask**".



3.) When training a bot with no initial content, you will get the bots response "I have no answer for that" which is a default response. In the bots text input field, write "Hello. Nice to meet you.", then click "**Say instead**".

🧕 Mobile Interface Builder 🗙 🧕 Forum - Community - EZ 🗙 Pandora Botmaster 🛛 🗙 🕂							-	• • •
🗲 🕲 pandorabots.com/botmaster/en/train?botid=eb62a59c7e3780e9		>	☆	Ê		+	ŵ	ø =
👌 Most Visited 🧕 EZ-Robot 🗹 Betfair 🗍 Pandorabots 🧻 B/F radio 🧕 MPU9150 Acceleromet G Gmail 🧹 Super Hub 2 GUI								
2,031,42 English Help Policies ILast Updated 9.26.20 My Pandorabots Profile Train Properties Predicates AIML Custom HTML Oddcast VHost Logs Explore Subscribers	1,251 pandorabot responses served! <u>51</u> - <u>Logout</u> steve.gibbs5@gmail.com nswer, type in the response that you would like your	par	idora	abot	to giv	ve ins	tead.	
Human: Ask								
Human: Hello Matched: * Test bot: I have no answer for that. Test bot: Say Instead Ask Again Advanced Alter Response								
Policies - Pandorabots Documentation - Pandorabots FA Videos: AMLInemel - Books: Be You Al Foundation Forum Chatbots.org - Al Nexus Forum - The A.L.I.C.E. Al Foundation AlML - Widenedia - Official - Oddcast Site	2 - Pandorabots Forum - About Pandorabots - c Own Botmaster - Pandorabots Apps - hatterbot Collection - Virtual Humans Forum AllM 1.0.1 standard - AlML 2.0 Working Draft - Pal							
🚛 🚞 🤌 💫 👩 🧿 🔲 🚳 🖪 🕲				•	ii 1	116. Î	•	09:52

4.) Click on the "**Ask Again**" (which says your "Hello" response again) and the bot will now respond with it's new "Hello. Nice to meet you" response. As mentioned, this is the easiest way to train your bot, but more time consuming.

🧕 Mobile Interface Builder 🗙 🧕 Forum - Community - EZ 🗙 🖉 Pandora Botmaster	× (+							-	×
The state of		∀ C ⁴	Q robotshop	÷	☆ 自		+	î (∍ =
🗿 Most Visited 🧕 EZ-Robot 🔽 Betfair 🗍 Pandorabots 🗍 B/F radio 🧕 MPU9150 Acceleromet G Gmail 🧃	Super Hub 2 GUI								
Image: Second conditions English Help Policies [Last Upd] My Pandorabots Profile Test bot* Create a Pandorabot Pandorawriter Support About M Train Properties Predicates AIML Custom HTML Oddcast VHost Logs Explore Subscribe Test bot* > Training	2,031,421,649 ated 9.26.2015] - lost Popular rs	<i>pandorabot re</i> . <u>ogout</u> steve.gi	isponses served! bbs5@gmail.com						
Type in questions below that you want your pandorabot to be able to answer. If you do	on't like the answe	r, type in the r	esponse that you w	ould like your par	idorabo	t to gi	ve inste	ad.	
Human:	Ask								
Human: Hello Matched: HELLO (category defined in update.aiml) Don't Match Test bot: Hello. Nice to meet you. Test bot: Ask Again Advanced Alter Response	Say Instead								
Human: Hello Matched: * Test bot: I have no answer for that. Test bot: Ask Again Advanced Alter Response	Say Instead								
📲 🔗 N 🔕 🗖 🗿 🖪 🧭	<u>R</u>				· · ·		i)	() ₁₁	09:53

Advanced way to train your bot.

1.) Another way to train your bot, is by adding or editing it's AIML files directly. This is a more advanced option, but once you get the hang of it, it is much quicker to train you bot. To start with a simple example with the bot with no initial content, click on the "**AIML**" tab.



2.) Now click on the link that says "Create a new AIML file".



3.) You will be presented with an AIML script editor. In this editor the will already be a body of code that will run your AIML categories. The AIML categories you wish to add (it could be one, or a hundred) need to go where it says **[/b] (this message can be written over or deleted).**

🧕 Mobile Interface Builder 🗙 🛛 🧕 Forum - Community - EZ 🗙 Pandora Botmaster 🛛 🗙	F							-	0	×
The set of the se	⊽ C ⁴	Q robotshop	¢		Ê		+	ŵ	ø	=
🍯 Most Visited 🧕 EZ-Robot 🌄 Betfair 🗍 Pandorabots 🦳 B/F radio 🧕 MPU9150 Acceleromet G Gmail 🧹 Supe	r Hub 2 GUI									
<pre></pre>	,031,422,924 pandorabot re 2.26.2015] - <u>Logout</u> steve.gi opular L are available from both ti	asponses served! ibbs5@gmail.com he <u>Pandorabots Documentatio</u>	<u>n</u> and	the ,	ALICE	Docu	ment	ation	page	5.
Save As										
										- `
📑 🚞 🥭 💽 💽 💽 🚳 🔟				E		# †0) .al	• ,	09:5	9

[b]4.) An AIML category is made up of the following...

Cetegory: separates the category from others in your bots AIML files. **Pattern:** is what you say. **Template:** is the robots response.

Once you have added your new category, it should look like the screen shot below. When your category is finished, give your new AIML file a name and click "**Save As**". (NOTE: If you Aiml category contains any errors, you will receive a red error message. Carefully check over your code again and correct any errors).

😰 Mobile Interface Builder 🗙 😰 Forum - Community - EZ 🗙 Pandora Botmaster 🛛 🗙 🕇				-	
🗲 🕲 pandorabots.com/botmaster/en/aiml-edit?botid=eb62a59c7e3780e9	∀ C ^e Q robotshop →	合 自 🕈	•	ŵ	⊜ ≡
🧃 Most Visited 🧕 EZ-Robot 🌄 Betfair 🗌 Pandorabots 🛄 B/F radio 🧕 MPU9150 Acceleromet G Gmail 🎸 Super	Hub 2 GUI				
Most Visited EZ-Robot Betfair Pandorabots B/F radio MPU9150 Acceleromet G Gmail V Super C C C C C C C C C C C C C	Hub 2 GUI 031,422,924 pandorabot responses served! 26.2015] - Logout steve.gibbs5@gmail.com pular are available from both the <u>Pandorabots Documentation</u> and th	ne <u>ALICE D</u> a	ocumen!	tation	pages.
Save As Greetings .aim					
🚛 🚞 🥭 N 💫 🖸 🗿 💻 🖪 🛷 💌		· •	10 .al	•	10:01 4/10/2015

5.) When the file is successfully saved, you will now see it listed in an AIML file list, like below...



6.) To talk to your new Pandorabot with EZ Builder, you first need to publish your bot. Click on your bots name tab, then click on the "**Publish**" link highlighted below...

🧕 Mobile Interface Builder 🗙 🧕 Forum - Community -	Z X Pandora Botmaster X +	7. 						×
S pandorabots.com/botmaster/en/summar botid=eb62a590	'e3780e9	⊽ C'	Q robotshop	→ ☆ 自	0	1 俞	ø	Ξ
🗿 Most Visited 🧕 EZ-Robot 🔽 Betfair 🗍 Pandorabots 🗍 B/F radio 🧕 MPU9150 Acceleromet G Gmail 🧹 Super Hub 2 GUI								
My Pandorabots Profile Test both Treate a Pandoral Train Properties Predicates auril. Custom HTML Od	2,0 Help Policies [Last Updated 9.7 ot Pandorawriter Support About Most Pop cast VHost Logs Explore Subscribers	31,424,367 pandorabot re 16.2015] - <u>Logout</u> steve.gi ular	isponses served! ibbs5@gmail.com					
Test bot*								
This pandorabot is not published. When you are ready, you can publish your pandorabot to make it available for others to chat with. You may first want to customize your pandorabot by changing some of its properties or by providing your own custom responses with the training interface.								
This pandorabot was created on: 10/04/2015 08:50	:31 AM GMT							
Access /hour Access /day Access /week 0 0 0 Refresh Counts								
For more detail take a look at the <u>conversation logs</u>								
	Policies - Pandorabots Documentation - Pandorab Videos: AIMLInstructor Channel - Book: 1 Al Foundation Forum Chatbots.org - Al Nexus For The A.L.I.C.E. AI Foundation AIML - Wikipedia - C - Odder	ots FAQ - Pandorabots Forum Be Your Own Botmaster - Pand rum - Chatterbot Collection - Y Micial AIM. 1.0.1 standard - A st SitePal	- About Pandorabots - forabots Apps /irtual Humans Forum UML 2.0 Working Draft -					
📲 🙆 N 🕹 👩	o 💷 🙆 🛷 🖭	<u></u>		- 111	4 10	al ()	10:04	015

7.) One final thing you need to do, is make a note of your new Pandorabots **Bot ID**. This will be needed to set up your bot in EZ Builder, which will be explained in step 4. The bot ID can be found in the URL on the publish screen which can be seen highlighted in "blue" in the screen shot, above.

That covers the basics of setting up a new Pandorabot and giving your new bot knowledge. There is a lot more extensive information that covers how to train your bot in the following links which will help.

www.pandorabots.com/pandora/pics/aimless/tutorial.htm

www.pandorabots.com/botmaster/en/tutorial?ch=1

1.) Open up EZ-Builder on your computer, and click on "**Project**", then "**Audio**", then click on "**Pandorabot**" to add this control to your project.



2.) Click on the gear icon to open the Pandorabot control configuration menu.



3.) click on the text input field called "**Pandorabot Bot ID**". You need to enter the ID that is contained in your Pandorabots URL, like what is outlined in red along with your username seen in the following photo, and click "**Save**"...



<u>c the Vac</u>*

is pandorabot is published at:

http://www.pandorabots.com/pandora/talk?botid=d5aeb2713e34d400

ou have made changes to the pandorabot since it was last published. ou must <u>republish</u> the pandorabot to make these changes available for thers.

ant to make your pandorabot stand out from the crowd? Try one of the chniques below:

Add an animated speaking character with an <u>Oddcast VHost</u> face. If you know HTML you can <u>customize the HTML</u> of your pandorabot to personalize the appearance of its published page.

The bot ID can be found in your browser on your bots training page, or on the bots "Publish" page like in the example photo above. It's not the whole Pandorabots URL you need, just the last set of numbers (also seen below).



Pandora Botmaster	× +				
e gandorabots.com/botmas	ster/en/summary?	otid=d5aeb2713e34d40	0]	-
Most Visited 🔮 EZ-Robot 🛃 E	Betfair 门 Pandor	abots 📋 B/F radio			
Tpandor	abots	5	2,004	4 <i>,710,39</i> 4	4 pan
	emente di anti stat stat si	English	~	<u>Help</u> -	Logo
My Pandorabots Profile Vid	c the Vac* Cr	eate a Pandorabot	Pando	rawriter	Supp
Train Properties Predicates	s AIML Custo	m HTML Oddcast	VHost	Logs Ex	plore
Vic the Vac*					

	Settings	×	
Pandora Bot Id: d5ae Lysemane. Confidence: 0.60 Confidence: 0.60 Confidence: 0.60	eb2713e34d400 Speak Responses	nition	
Save	Cancel		

4.) Now you can run a simple test by one of two ways. Typing in what you want to say to your bot in the text input field, or by connecting a good quality microphone or headset to your computer, then unpause the speech recognition check box, and speak your phrase. You should now get a response.

The following few steps will guide you through different examples of how to use scripts with your Pandorabots responses.

In the next few steps of this tutorial, you will be guided through the various ways to use Pandorabot with EZ-Builder. This tutorial assumes that you are now familiar with Pandorabots, and assumes you have your own Pandorabot published with AIML brain files that your bot already uses.

Adding a simple EZ-Script.

Here, we will be writing a simple line of EZ-Script in to a Pandorabot category in the AIML bot brain files. This will make your robot say something, then use a single line of EZ-Script to carry out an action like moving a servo. Let's begin.

To add a script to a Pandorabots response, EZ-Builder will execute EZ-Script that is located within the [and] characters. Below is an example of this where one servo will move...

AIML category with EZ-Script example.

```
<category>
<pattern>MOVE SERVO LEFT</pattern>
<template>I will move my servo to the left. [Servo(D0,1)]</template>
</category>
```

As you can see, the **[Servo(D0,1)]** part of the bots response goes at the end of the sentence. So when you say "*Move servo left*", your bot will say "*I will move my servo to the left*." and then proceed to move the servo (see video demo below). Moving the **[Servo(D0,1)]** to the beginning of the sentence will not change the order of the bots speech and servo movement. It will still speak first, then move the servo.

You can only use a single line of script in your bots response, as adding multiple lines of script will not work. This could be an issue if you wanted to set different servo speeds for example. But there is a way around this. S Step 6. Using multi line scripts.

As previously mentioned, using multiple script commands in a single Pandorabot response is not possible. Or is it?

In Fact there is a way to run multiple lines of script or multiple controls quite easily using "Control Commands" or "Cheat Sheet" commands as they are now called. If you're new to EZ Builder, or have had your EZ-B for a while and haven't yet fully explored its full potential and not sure what Cheat Sheet control commands are, these are ways of easily accessing existing scripts, controls, or other functions such as "Soundboards" and "Auto Positions", and puts them in to a single line of script. Basically, a Cheat Sheet is a short cut. This makes programming a robot to execute extensive or simultaneous actions very easy to do, and for this example, that's what we want for the Pandorabot control.

In this example, the servo will move to two positions with a three second sleep in between servo movements.

1.) What we do is add an EZ-Script control to an EZ Builder project. Then we will enter the following script...

``` #EZ-Script example.

Servo(D0,1) Sleep(3000) servo(D0,90) ```

We will name this new script "Servo Test" and save the settings.

**2.)** Now reopen the script editor, and under the last line of script, right click the mouse button to bring up the cheat sheet commands. Find the "**ControlCommand("servo test", ScriptStart)**. Now click on it to add it to the script, highlight just the control command, and cut it using CTRL and X, or right mouse click. Re-save the project.

**3.)** Now make a new AIML category in your Pandorabot AIML editor and write a new category pasting the control command in the bots template. It should look like the following...

AIML category with multiline EZ-Script example.



Save this AIML category, and republish your Pandorabot.

**4.)** Once published, test the script in EZ Builder. Say "*Move your servo*." and the bot should respond with "*I will move my servo to the left, then to the right.*", then EZ Builder will run the control command and tell the EZ-B to move the servo, as seen in the next video.

So far, the bot responds and then runs a script. The next step will show you how to have the bot speak while moving a servo at the same time.

So far, the examples provided have the EZ-B speaking and the carry out actions after it has stopped talking. But there may be times where you may want your robot to talk at the same time as it performs an action.

This is easy to do using a control command like mentioned in level 2, but with a slight difference. Instead of typing in the robots speech response followed by a [ContolCommand] in an AIML category, we only use the [ControlCommand] script, and put the robots spoken response in to an EZ Builder script using the **Say()** or **SayEZB()** script commands, and make a new or edited control command.

The video below shows two examples using this method. The first half shows using a Pandorabot response followed by a script command which doesn't do what we want. The second half shows using only a control command using the **Say("")** script command which executes the way we want it to.

Here is how it is done...

**1.)** Like in the previous step, what we do is add an EZ-Script control to an EZ Builder project. Then we will enter the following script...

``` #EZ-Script example.

Say("I am now moving a servo, while I speak at the same time.") Servo(D0,1) servospeed(D0,2) Sleep(3000) servo(D0,90) ```

We will name this new script "Speech Servo Test" and save the settings.

2.) Now reopen the script editor, and under the last line of script, right click the mouse button to bring up the cheat sheet commands. Find the "ControlCommand("Speech servo test", ScriptStart), click on it to add it to the script, highlight just the control command and cut it using CTRL and X, or right mouse click. Re-save the project.

3.) Now make a new AIML category in your Pandorabot AIML editor and write a new category pasting the control command in the bots template. It should look like the following...

AIML category with speech EZ-Script example.

```
<category>
<pattern>MOVE YOUR SERVO</pattern>
<template>[ControlCommand("Speech Servo Test", ScriptStart)]</template>
</category>
```

Save this AIML category and republish your Pandorabot. Have you noticed the difference between the AIML example above, and previous examples? There is no actual phrase for the bot to say in between the **Template** tags, only the control command. This is covered by using the **Say("")**

command in the EZ-Script.

4.) Once published, test the script in EZ Builder. Say "*Move your servo.*", EZ Builder will run the control command and tell the EZ-B to move the servo while saying "*I am now moving a servo, while I speak at the same time.*".

Some of you may be aware that using "**That**" codes in a Pandorabot category, remembers your bots last response, or more specifically the last sentence of the response, which helps to carry on a conversation and keeps it on topic.

Now, if you put a control command at the end of a bots response as we have done so far, this will be classed as the last sentence spoken by your bot. This can cause problems keeping the conversation on topic and with other responses that uses the same control command at the end of them. But there is a very simple solution to avoid this. Simply put your EZ Script or control command "in front" of the bots response in your bots brain files, instead of at the end of it. Doing this works exactly the same way and avoids any problems using the code.

<pre>Kcategory></pre>	
<pre><pattern>MOVE YOUR SERVO</pattern></pre>	
<pre><template>[ControlCommand("Speech Servo Test", <u>ScriptStart)</u>] I will now move :</template></pre>	my
servo.	

If you have a bots response that only contains a script or control command (as mentioned in step 7) then you should avoid using "**That**" codes for these responses.

With what you have learned from this tutorial, give it a go for yourself and find out what is possible using this interface. And why not share your ideas in the <u>Community forum</u>, with descriptions and/or videos of your projects using what you have now learned.

NB: It should be noted that Pandorabots is a third party software platform, and EZ-Robot has no association with them, and are not responsible for Pandorabots functionality or issues. Any queries regarding Pandorabots should be submitted via their own website.

But if you have any questions regarding the use of EZ-Script with Pandorabots, then feel free to ask in the forum, as there is always someone around in the community willing to help where possible.

Happy building.

Tutorial created on 4th October 2015